

HUS-Beamer Template

Hoàng Anh Đức

email@address.com
Long Institute

15/07/2022

Outline

Test some common Beamer elements

Another Section

This is a subsection

Another subsection

Bibliography



Test some common Beamer elements



Math

Inline Math $E = mc^2$.
Numbered Equation

$$E = mc^2 \tag{1}$$

Listing

- One
- Two
- Three
- 1 One
- 2 Two
- 3 Three



Theorem, Lemma, etc.

Định lý 1: Handshaking Theorem

$$\sum_{v \in V(G)} \deg_G(v) = 2|E(G)|$$

Định lý 1 (Handshaking Theorem)

$$\sum_{v \in V(G)} \deg_G(v) = 2|E(G)|$$

The first one is defined with `thm` environment, and the second one with `theorem`. Those two have different styles and counters.

Mệnh đề 2

A proposition.



Theorem, Lemma, etc.

Bài tập 3

An exercise

Ví dụ 1

An example

Other environments supported by Beamer are: corollary, fact, lemma, solution, definition, definitions, examples.



Blocks

This is an example of a block

When using `verbatim` in Beamer for inserting codes, it is better to put them between `\begin{frame}[fragile]` and `\end{frame}`, other than `\frame[fragile]{ and }`.



Citation

See [Rosen 2011] (using `\cite` command), which is also
Kenneth H. Rosen (2011). *Discrete mathematics and its
applications*. New York: McGraw-Hill
(using `\fullcite` command).



Another Section



A frame inside a subsection

More ways to enumerate:

a blabla

b abdasdoad

c clwemcoerfe

d wefewgregre

i blabla

ii abdasdoad

iii clwemcoerfe

iv wefewgregre

I.1 blabla

I.2 abdasdoad

I.3 clwemcoerfe

I.4 wefewgregre



Bibliography



Bibliography



Rosen, Kenneth H. (2011). *Discrete mathematics and its applications*.
New York: McGraw-Hill.

